


**Amendments to the Claims:**


The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A polymer compound comprising a cyclic structure represented by the following general formula (1):



wherein X represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; Y represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, a halogenated alkylene group and a halogenated arylene group; Z represents a bond-connecting group derived from an alkylene group having from 1 to 20 carbon atoms, an ester group, a urethane group, an amide group or an ether group, which is bonded connects the Y of the cyclic structure to a group represented by Y belonging to another at least a second cyclic structure of general formula (1); m represents 0 or an integer of 1 or more; and n represents an integer of 2 or more, provided that the integer represented by m is independent in m may be the same or different for respective repeating units within the cyclic structure, and a total number of the bondconnecting groups -represented by Z in the cyclic structure is 1 or more.


2. (Currently Amended) A polymer compound as claimed in claim 1, wherein the cyclic structure is represented by the following general formula (2):



wherein X and A are the same as or different from each other and each represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; Z represents a bond-connecting group derived from an alkylene group having from 1 to 20 carbon atoms, an ester group, a urethane group, an amide group or an ether group, which is bonded connects the Y of the cyclic structure to a group represented by Y belonging to ~~another~~ at least a second cyclic structure of general formula (1); m' and m'' each represents an integer of from 0 to 4; and n represents an integer of 2 or more, provided that ~~the integers represented by m' and m'' each is independent in~~ m' and m'' may be the same or different for respective repeating units within the cyclic structure, and a total number of ~~the bond-connecting groups~~ represented by Z in the cyclic structure is 1 or more.

3. (Currently Amended) A process for producing a polymer compound comprising the steps of:


a first step for subjecting a raw material mixture to esterification or ester exchange to obtain a composite, the raw material mixture containing a compound represented by the following general formula (3):



wherein X represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; and R represents a group selected from the group consisting of a hydrogen atom and a hydrocarbon group, and a compound represented by the following general formula (4):




wherein Y represents a group selected from the group consisting of an alkylene group,



an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; Z' represents a reactive group capable of forming a group selected from the group consisting of an alkenyl group, an ester group, a urethane group, an amide group and an ether group; and k represents an integer of 1 or more,


a second step for subjecting the composite to a polycondensation reaction under reduced pressure to obtain a cyclic oligomer represented by the following general formula (5):



wherein X represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; Y represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, a halogenated


alkylene group and a halogenated arylene group; Z' represents a reactive group capable of forming a group selected from the group consisting of an alkenyl group, an ester group, a urethane group, an amide group and an ether group; m represents 0 or an integer of 1 or more; and n represents an integer of 2 or more, provided that ~~the integer represented by m is independent in~~ m may be the same or different for respective repeating units within the cyclic structure, and a total number of ~~the bond~~ reactive groups represented by Z' in the cyclic oligomer is 1 or more, and

a third step for reacting the oligomer to obtain a polymer compound having a cyclic structure represented by the following general formula (1):



wherein X represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; Y represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, a halogenated alkylene group and a halogenated arylene group; Z represents a ~~bond~~ connecting group derived from an alkylene group having from 1 to 20 carbon atoms, an ester group, a urethane group, an amide group or an ether group, which is ~~bonded~~ connects the Y of the cyclic structure to a group represented by Y belonging to ~~another~~ at least a second cyclic structure of general formula (1); m represents 0 or an integer of 1 or more; and n represents an integer of 2 or more, provided that ~~the integer represented by m is independent in~~ m may be the same or different for respective repeating units within the cyclic structure, and a total number of the ~~bond~~ connecting groups represented by Z in the cyclic structure is 1 or more.

4. (Currently Amended) A molded article comprising a polymer compound comprising a cyclic structure represented by the following general formula (1):



wherein X represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; Y represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, a halogenated alkylene group and a halogenated arylene group; Z represents a bond-connecting group derived from an alkylene group having from 1 to 20 carbon atoms, an ester group, a urethane group, an amide group or an ether group, which is ~~bonded~~ connects the Y of the cyclic structure to a group represented by Y belonging to ~~another~~ at least a second cyclic structure of general formula (1); m represents 0 or an integer of 1 or more; and n represents an integer of 2 or more, provided that ~~the integer represented by m is independent~~ m may be the same or different in respective repeating units within the cyclic structure, and a total number of the bond-connecting groups represented by Z in the cyclic structure is 1 or more.

5. (Original) A molded article as claimed in claim 4, wherein the molded article is produced by extrusion molding.


6. (Original) A molded article as claimed in claim 4, wherein the molded article is produced by coating.

7. (Currently Amended) A molded article as claimed in claim 4, wherein the molded article further comprising a functional ~~material having a molecular weight of 3,000 or less~~ material.

8. (Original) A molded article as claimed in claim 7, wherein the functional material exhibits electroconductivity.
9. (Original) A molded article as claimed in claim 7, wherein the functional material exhibits wavelength-selective absorbance.
10. (Currently Amended) A process for producing a molded article comprising the steps of:

melting a polymer compound comprising a cyclic structure

represented by the following general formula (1):




wherein X represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; Y represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, a halogenated alkylene group and a halogenated arylene group; Z represents a bond-connecting group derived from an alkylene group having from 1 to 20 carbon atoms, an ester group, a urethane group, an amide group or an ether group, which is bonded connects the Y of the cyclic structure to a group represented by Y belonging to another at least a second cyclic structure of general formula (1); m represents 0 or an integer of 1 or more; and n represents an integer of 2 or more, provided that the integer represented by m is independent in m may be the same or different for respective repeating units within the cyclic structure, and a total number of the bond-connecting groups represented by Z in the cyclic structure is 1 or more, and

subjecting the molten polymer compound to extrusion ~~molding in a prescribed mold.~~  
~~mold molding.~~

11. (Currently Amended) A process for producing a molded article comprising the steps of:

coating onto a substrate a coating composition containing a polymer compound comprising a cyclic structure represented by the following general formula (1):



wherein X represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, halogenated alkylene group and halogenated arylene group; Y represents a group selected from the group consisting of an alkylene group, an arylene group, an arylalkylene group, an alkylarylene group, a halogenated alkylene group and a halogenated arylene group; Z represents a ~~bond~~ connecting group derived from an alkylene group having from 1 to 20 carbon atoms, an ester group, a urethane group, an amide group or an ether group, which ~~is bonded~~ connects the Y of the cyclic structure to a group represented by Y belonging to ~~another~~ at least a second cyclic structure of general formula (1); m represents 0 or an integer of 1 or more; and n represents an integer of 2 or more, provided that ~~the integer represented by m is independent in m~~ may be the same or different for respective repeating units within the cyclic structure, and a total number of ~~the~~ bond connecting groups represented by Z in the cyclic structure is 1 or more, and drying the coating ~~composition thus coated.~~ composition.

12. (Currently Amended) A process for producing a molded article as claimed in claim 11, wherein the coating composition further contains a functional ~~material having a molecular weight of 3,000 or less.~~material.

13. (Original) A process for producing a molded article as claimed in claim 12, wherein the functional material exhibits electroconductivity.

14. (Currently Amended) A process for producing a molded article as claimed in ~~claim 11, wherein~~ claim 12, wherein the functional material exhibits wavelength-selective absorbance.